



<p>Model</p>	<p>: PM 145 With 10 Head Weigh Filler</p>      
<p>Description</p>	<p>: Fully Automatic Collar Type machine with 10 head weigh filler for namkeen</p>
<p>Specification</p>	<p>: </p> <ul style="list-style-type: none"> • Filling range : UPTO 1KG(DEPEND ON MATERIAL) • Speed : 45 to 55 pouch per minute • Packing material : Heat sealable flexible laminated film • Seal type : Center Seal • Filling system : 10 HEAD • Sealing system : Hot bar • Electrical supply : 220V AC / Single Phase • Power consumption: 3 KW • Net Weight : 1100 kg (Approx.) • Gross Weight : 1200 kg. (Approx.) • Head : high dream (china)
<p>Features</p>	<p>: </p> <ul style="list-style-type: none"> ➤ Requirement of Air compressor(2-3hp) ➤ Low power consumption ➤ Complete Operated by PLC (delta) ➤ All the contacts parts made from Stainless Steel ➤ Fitted on caster wheel

Operation	: It is an Automatic collar type pouch packing machine. A lay flat roll is mounted on the machine. Pouch is get formed with the help of the former. The vertical sealing takes place at top sealing rollers and horizontal sealing and cutting takes place at bottom sealing rollers. The sealing type is Hot bar sealing and it is controlled by digital temperature controller on the front panel. The filling system is 10 HEAD Weigher. PLC system for exact weight required. The photo control unit is used to cut the pouch at fix place (photo dot). Batch coding (optional) is done on line on the machine. The other terms and conditions are mentioned in enclosed sheet.						
PRICES	: <table border="1" data-bbox="363 510 1506 672"> <thead> <tr> <th data-bbox="363 510 831 589">DESCREPTION</th> <th data-bbox="831 510 1091 589">RETAIL PRICE</th> <th data-bbox="1091 510 1506 589">Cash Price.</th> </tr> </thead> <tbody> <tr> <td data-bbox="363 589 831 672">Multihead 10head machine</td> <td data-bbox="831 589 1091 672">Rs.13,50,000/-</td> <td data-bbox="1091 589 1506 672">Rs.13,25,000/-</td> </tr> </tbody> </table>	DESCREPTION	RETAIL PRICE	Cash Price.	Multihead 10head machine	Rs.13,50,000/-	Rs.13,25,000/-
DESCREPTION	RETAIL PRICE	Cash Price.					
Multihead 10head machine	Rs.13,50,000/-	Rs.13,25,000/-					
Model	: APM 132 Cup Filler (mechanical f.f.s. machine) 						
Description	: Fully Automatic Form, Fill & Seal Machine without Photo Electric Control & Cup Filler						
Specification	: <ul style="list-style-type: none"> • Filling range : UPTO 250GM(DEPEND ON MATERIAL) • Speed : 35 to 50 pouch per minute • Packing material : Heat sealable flexible laminated film • Seal type : three side seal • Filling system : cup filler • Sealing system : Hot bar • Electrical supply : 230V AC / Single Phase / 50 Hz • Power consumption : 1.5 KW • Net Weight : 350 kg (Approx.) • Gross Weight : 450 kg. (Approx.) • Shipping dimension : 780x 650 x 1700 mm (L x W x H) 						
Features	: <ul style="list-style-type: none"> ➤ No requirement of Air compressor ➤ Require only single phase power supply ➤ Low power consumption ➤ All the contacts parts made from Stainless Steel ➤ Fitted on caster wheel 						
Operation	: It is an Automatic Form, Fill and Seal pouch packing machine. A lay flat roll is mounted on the machine. Pouch is get formed with the help of the former. The vertical sealing takes place at top sealing rollers and horizontal sealing and cutting takes place at bottom sealing rollers. The sealing type is Hot bar sealing and it is controlled by digital temperature controller on the front panel. The filling systems is cup filler. cup of adjustment system for exact ml required. The photo control unit						

		<p>is used to cut the pouch at fix place (photo dot). Batch coding (optional) is done on line on the machine.</p> <p>The other terms and conditions are mentioned in enclosed sheet.</p>		
PRICES	:	DESCREPTION	RETAIL PRICE	Cash Price
		Mechanical cup filler	Rs.1,20,000/-	Rs.1,17,000/-
Model	:	APM 138 half Pneumatic cup filler machine		
Description	:	Fully Automatic Pneumatic Form, Fill & Seal Machine with cup filler.		
Specification	:	<ul style="list-style-type: none"> • Filling range : UPTO 500gm(DEPEND ON MATERIAL) • Speed : 25 to 40 pouch per minute • Packing material : Heat sealable flexible laminated film • Seal type : Center Seal • Filling system : cup filler • Sealing system : Hot bar • Electrical supply : 230V AC / Single Phase / 50 Hz • Power consumption : 1.5 KW • Net Weight : 380 kg (Approx.) • Gross Weight : 480 kg. (Approx.) • Shipping dimension : 1200x 1200 x 2650 mm (L x W x H) 		
Features	:	<ul style="list-style-type: none"> ➤ Requirement of Air compressor ➤ Require only single phase power supply ➤ Complete Operated by PLC ➤ Low power consumption ➤ All the contacts parts made from Stainless Steel ➤ Fitted on caster wheel 		
Operation	:	<p>It is an Automatic Pneumatic Form, Fill and Seal pouch packing machine. A lay flat roll is mounted on the machine. Pouch is get formed with the help of the former. The vertical sealing takes place at top sealing rollers and horizontal sealing and cutting takes place at bottom sealing rollers. The sealing type is Hot bar sealing and it is controlled by digital temperature controller on the front panel. The filling system is Cup Filler. Cups of adjustment system for exact weight required. The photo control unit is used to cut the pouch at fix place (photo dot). Batch coding (optional) is done on line on the machine.</p> <p>The other terms and conditions are mentioned in enclosed sheet.</p>		
PRICES	:	DESCREPTION	RETAIL PRICE	Cash Price
		Half pneumatic cup filler	Rs.2,50,000/-	Rs.2,45,000/-
Model	:	APM 138 FULLY Pneumatic CUP FILLER		
Description	:	Fully Automatic Pneumatic Form, Fill & Seal Machine with Photo Electric Control & CUP FILLER		
Specification	:	<ul style="list-style-type: none"> • Filling range : UPTO 500GM(DEPEND ON MATERIAL) • Speed : 25 to 40 pouch per minute • Packing material : Heat sealable flexible laminated film • Seal type : Center Seal 		

		<ul style="list-style-type: none"> • Filling system : cup filler • Sealing system : Hot bar • Electrical supply : 440V AC / Three Phase • Power consumption : 3 KW • Net Weight : 450 kg (Approx.) • Gross Weight : 550 kg. (Approx.) • Shipping dimension : 1200x 1200 x 2650 mm (L x W x H) 						
Features	:	<ul style="list-style-type: none"> ➤ Requirement of Air compressor ➤ Require only single phase power supply ➤ Complete Operated by PLC ➤ Low power consumption ➤ All the contacts parts made from Stainless Steel ➤ Fitted on caster wheel 						
Operation	:	<p>It is an Automatic Pneumatic Form, Fill and Seal pouch packing machine. A lay flat roll is mounted on the machine. Pouch is get formed with the help of the former. The vertical sealing takes place at top sealing rollers and horizontal sealing and cutting takes place at bottom sealing rollers. The sealing type is Hot bar sealing and it is controlled by digital temperature controller on the front panel. The filling system is Auger Filler. Panal of adjustment system for exact weight required. The photo control unit is used to cut the pouch at fix place (photo dot). Batch coding (optional) is done on line on the machine.</p> <p>The other terms and conditions are mentioned in enclosed sheet.</p>						
PRICES	:	<table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th style="width: 33%;">DESREPTION</th> <th style="width: 33%;">RETAIL PRICE</th> <th style="width: 33%;">Cash Price</th> </tr> </thead> <tbody> <tr> <td>Fully pneumatic cup filler</td> <td>Rs.3,50,000/-</td> <td>Rs.3,45,000/-</td> </tr> </tbody> </table>	DESREPTION	RETAIL PRICE	Cash Price	Fully pneumatic cup filler	Rs.3,50,000/-	Rs.3,45,000/-
	DESREPTION	RETAIL PRICE	Cash Price					
Fully pneumatic cup filler	Rs.3,50,000/-	Rs.3,45,000/-						
Model	:	<p>APM 138 half Pneumatic Auger Filler</p> <div style="display: flex; justify-content: space-around; align-items: center;">   </div>						
Description	:	Fully Automatic Pneumatic Form, Fill & Seal Machine with Photo Electric Control & Auger Filler for Packing Spices						
Specification	:	<ul style="list-style-type: none"> • Filling range : (DEPEND ON MATERIAL) • Speed : 20 to30 pouch per minute • Packing material : Heat sealable flexible laminated film • Seal type : Center Seal • Filling system : Auger Filler • Sealing system : Hot bar • Electrical supply : 440V AC / Three Phase • Power consumption : 3 KW • Net Weight : 450 kg (Approx.) 						

		<ul style="list-style-type: none"> • Gross Weight : 550 kg. (Approx.) • Shipping dimension : 1200x 1200 x 2650 mm (L x W x H) 		
Features	:	<ul style="list-style-type: none"> ➤ Requirement of Air compressor ➤ Require only single phase power supply ➤ Complete Operated by PLC ➤ Low power consumption ➤ All the contacts parts made from Stainless Steel ➤ Fitted on caster wheel 		
Operation	:	<p>It is an Automatic Pneumatic Form, Fill and Seal pouch packing machine. A lay flat roll is mounted on the machine. Pouch is get formed with the help of the former. The vertical sealing takes place at top sealing rollers and horizontal sealing and cutting takes place at bottom sealing rollers. The sealing type is Hot bar sealing and it is controlled by digital temperature controller on the front panel. The filling system is Auger Filler. Panel of adjustment system for exact weight required. The photo control unit is used to cut the pouch at fix place (photo dot). Batch coding (optional) is done on line on the machine.</p> <p>The other terms and conditions are mentioned in enclosed sheet.</p>		
PRICES	:	DESCREPTION	RETAIL PRICE	Cash Price
		Half pneumatic auger	Rs.3,80,000/-	Rs.3,70,000/-
Model	:	APM 138 fully Pneumatic Auger Filler		
Description	:	Fully Automatic Pneumatic Form, Fill & Seal Machine with Photo Electric Control & Auger Filler for Packing Spices		
Specification	:	<ul style="list-style-type: none"> • Filling range : UPTO 1000GM(DEPEND ON MATERIAL) • Speed : 30 to 45 pouch per minute • Packing material : Heat sealable flexible laminated film • Seal type : Center Seal • Filling system : Auger Filler • Sealing system : Hot bar • Electrical supply : 440V AC / Three Phase • Power consumption : 3 KW • Net Weight : 450 kg (Approx.) • Gross Weight : 550 kg. (Approx.) • Shipping dimension : 1200x 1200 x 2650 mm (L x W x H) 		
Features	:	<ul style="list-style-type: none"> ➤ Requirement of Air compressor ➤ Require only single phase power supply ➤ Complete Operated by PLC ➤ Low power consumption ➤ All the contacts parts made from Stainless Steel ➤ Fitted on caster wheel 		
Operation	:	<p>It is an Automatic Pneumatic Form, Fill and Seal pouch packing machine. A lay flat roll is mounted on the machine. Pouch is get formed with the help of the former. The vertical sealing takes place at top sealing rollers and horizontal sealing and cutting takes place at bottom sealing rollers. The sealing type is Hot bar sealing and it is controlled by digital temperature controller on the front panel. The filling system is Auger Filler. Panel of adjustment system for exact weight required. The photo control unit is used to cut the pouch at fix place (photo dot). Batch coding (optional)</p>		

		is done on line on the machine. The other terms and conditions are mentioned in enclosed sheet.		
PRICES	:	DESCREPTION	RETAIL PRICE	Cash Price
		Fully pneumatic auger	Rs.4,60,000/-	Rs.4,50,000/-

TERMS & CONDITIONS

1. **Price**: prices quoted are ex works at Ahmedabad.
2. **Company detail**: you have to provide tin no., excise range detail, delivery address, and necessary transportation form along with purchase order.
3. **Delivery**: 15 to 30 days from the date of receipt of technically/commercially clear firm order or date of receipt of the advance payment or date of receipt of the samples whichever is later.
4. **Terms of payment**: 50%advance payment along with the order & balance against Performa invoice before dispatch. Payment will be due on account of Global Venture Impex. Ahamedbad.
5. **Freight**: the machine will be dispatched on freight to pay basis and you will arrange to pay octroi & other incidental expresses directly to the transporter
6. **Quotation validity**: 30 days.
7. **Tax**: 5% vat. Extra.
8. **Installation & service**: installation & commissing or after sales service of our machine shall be carried out by our factory trained engineer.
9. **Warranty**: the machine is warranted on our ex-works basis for 12 month from the date of dispatch of the machine for any manufacturing defects, this warranty does electronics parts or consumables.
10. **Jurisdiction**: in case of any disputes all the claims are subjects to Ahmedabad jurisdiction only.
11. Advance payment will not be refundable if you will cancel the order.

NOTE:

- ❖ Selection of respective spares is made by you after you are satisfied for your suitability would not be held responsible, once the material is dispatched.
- ❖ Goods once sold would not be taken back under any circumstances.
- ❖ Our responsibility cases on giving the delivery of the goods to the transporter/courier.
- ❖ You have to provide sample of pouch size, box size etc. along with purchase order, otherwise machine will made as per our standards and specification, we will take trial with pouch, box etc .available with us .and will acceptable to you.

Thanking you and looking forward to your valued order