



A 18,5th Floor, Ajanta Complex, Nr.Income Tax, Ashram Road, Ahmedabad-380014.

www.globalventure.hpage.com | + 91 9033817316 | yoga24in@hotmail.com

32'' HD LCD cost : 115 \$ FOB



Packaging & Delivery

Packaging Detail: Inner: Poly foam, plastic bag Outer: Carton box with our own brand or OEM (imprint your brand),tv lcd will be central package, color box can be accepted.

Delivery Detail: New LCD TV sample within nine days, regular order 25days.

Specifications

- 1.High definition lcd tv
- 2.A grade panel
3. Multimedia USB
- 4.One year warranty

Sample's policy: 9 working days after receiving the payment 100% Payment T/T or L/C

Regular order:25 days after confirming the carton box design

(Prepare for SKD and Panel need 15days.Producing Time need 8days.Warehouse or Testing need 3days)

Product Description:

Panel	AU/LG/CMO/Samsung Panel
Interface	LVDS(single pixel)
Size & Aspect Ratio	32"
Pixel Pitch	0.63(H)X0.63(W)Xrgb
Active area	1209.6(H)X680.4(W)
Resolution	1366*768
Contrast Ratio	500:1
Brightness	300cd/m2
View Angle(CR 10)	178° / 178°
Horizontal Refresh Rate	35KHz~81KHz
Vertical Refresh Rate	50-60hz
Color Depth Bit	8Bit-17.5M
Response Time(Typ)	6ms

TV Standard & Set Up

Tuner	1*(PAL/SECAM/NTSC,DVB-T,ATSC)
TV SYSTM	PAL/SECAM/NTSC DVB-T*ATSC*ISDB-T(optional)
Video System	PAL/SECAM/NTSC-3.58,NTSC-4.43,PAL-60
Sound System	B/G, D/K, I,L,L',M.N

Audio

Sound Effect	MTS, Spatial Stereo, Dynamic Bass
Sound output	8W X2
SOUND SYSTEM	B/G;D/K;I;L/L
STEREO SYSTEM	YES
NICAM	YES

Video

TV SYSTEM	PAL/SECAM/NTSC
DTV SYSTEM	DVB-T(MPEG2,MPEG4,MHEG4)
HDTV Compatible	480p, 576p, 720p, 1080i,1080P
Teletext(Page)	Optional 100-1000PAGES
Deinterlace / Comb filter	3D/2D
3D Video Noise Reduction	YES
PIP/POP	Optional
OSD LANGUAGE	English,Chinese,German,French,Spanish,Portuguese,Russian,Arabic etc.

Connectors

AV	x2
TV	x1
S-VIDEO	Optional
SCart	Optional
VGA	x1
HDMI	x2
CVBS	Optional
USB	x1
Earphone	x1

DC Power Supply	x1
DVB-T	Optional
ATSC tuner	Optional
DVD/SMART	Optional
YPbPr or YCbCr (COMPONENT)	Optional
PC AUDIO	x1
Other Features	
Auto Power off	YES
Sleep Timer	YES
Clock	YES
Input voltage range	AC 90~260V 60/50Hz
Operate voltage range	AC 100~240V 60/50Hz
Power Consumption	Standby:<1 Watt Operating: <190Watt
Safety	CCC/CE/CB/FCC/ROHS/SASO
Carton Size	32" lcd tv: 1100*300*900mm 32" lcd tv:550 – 600 PCS (20GP)/1200 PCS (40HQ)
Loading Capacity	
20"/40"HQ	One year Manufacturing Warranty*



Three Dimensions of LCD TV



Our TV and Carton Box Design

